

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**



SEQUENCE LISTING

FFS

RECEIVED

SEP 10 2001

TECH CENTER 1600/2900

<110> Chugai Seiyaku Kabushiki Kaisha, 5001, Iwamoto et

<120> Cell Calcification Suppressing Proteins and Genes of
the Proteins

<130> chugai seiyaku kabushiki kaisha 5001

<140> 08/878,177

<141> 1997-06-18

<160> 7

<170> PatentIn Ver. 2.0

<210> 1

<211> 1447

<212> DNA

<213> C-11 gene, c-erg gene w/ deletion, chicken DNA

<400> 1

```
gaattccgcg aacgaataat tattattagc aattattagc gatcaataat cttgatcaca 60
ttatggcaag cactattaag gaagcattat cagtggtagg tgaagaccag tccttgtttg 120
agtgtgccta cggatcgccc caccttgcaa agacagaaat gacagcctcc tcttccagtg 180
aatatgggca aacatcaaag atgagcccg cgcgtcccca gcaggactgg ttatcacagc 240
ccccggccag agttaccatt aagatggagt gtaacccaaa ccaggttaat gggtaagga 300
attcacctga tgactgcagc gtggcaaaaag gagggaaaat ggtagcagt tcagacaatg 360
ttgggatgaa ctatggaagc tacatggaag agaagcatat tccgcctcca aatatgacaa 420
ccaatgaacg aagagttatt gtgccagcag atcctacgtt atggagcaca gaccatgtac 480
ggcagtggtt ggagtgaggc gtgaaggagt atggctcttc agacgtggac atcttgttgt 540
tccagaacat tgatgggaaa gagttgtgta aaatgaccaa agatgacttc cagagactca 600
cgccgagcta taacgcagat atcctcctgt cacacctaca ctacctcaga gagagaggag 660
ccacttttat ttttccaaat acatcagttt acccagaagc aacgcaaaga ataacaacaa 720
ggccagattt accttatgag caagcgagga gatcagcgtg gacgagtcac agccatccca 780
ctcagtcaaa agctacccaa ccatcatctt caacagtggc caaaacagaa gaccagcgtc 840
ctcagttaga tccttatcag attcttggac cgaccagcag ccgtcttgca aatccagggg 900
gtgggcagat acagctatgg cagttcctac tggagcttct gtcggacagc tccaactcca 960
actgcatcac ctgggagggc acaaagggg agttcaagat gacagaccct gatgaagtgg 1020
ctcggcgttg gggagagagg aaaagcaaac ctaacatgaa ctatgacaaa ctcagccgtg 1080
cacttcgcta ctactatgac aaaaatatta tgactaaagt tcatggtaaa cgctatgcct 1140
acaaatttga tttccacgga atcgctcagg cctccagcc tcacctcca gaatcatcca 1200
tgtacaaata cccatcagac ctcccctaca tgagttccta ccatgcacac cccagaaga 1260
tgaactttgt agtccccat cccctgctt tgcccgtaac ctcatccagc ttttttgctg 1320
cccctaattc atactggaat tcaccaactg gaggcattcta cccaataacc aggtcgccag 1380
ctgctcatat gccttcccat cttggcacct actactaagt ggggaaagaa agaaagcgcc 1440
aagaaaa
```

1447

<210> 2

<211> 451

<212> PRT

<213> protein sequence from C-11 gene

<400> 2

Met Ala Ser Thr Ile Lys Glu Ala Leu Ser Val Val Ser Glu Asp Gln
1 5 10 15

Ser Leu Phe Glu Cys Ala Tyr Gly Ser Pro His Leu Ala Lys Thr Glu
20 25 30

Met Thr Ala Ser Ser Ser Ser Glu Tyr Gly Gln Thr Ser Lys Met Ser
35 40 45

Pro Arg Val Pro Gln Gln Asp Trp Leu Ser Gln Pro Pro Ala Arg Val
50 55 60

Thr Ile Lys Met Glu Cys Asn Pro Asn Gln Val Asn Gly Ser Arg Asn
65 70 75 80

Ser Pro Asp Asp Cys Ser Val Ala Lys Gly Gly Lys Met Val Ser Ser
85 90 95

Ser Asp Asn Val Gly Met Asn Tyr Gly Ser Tyr Met Glu Glu Lys His
100 105 110

Ile Pro Pro Pro Asn Met Thr Thr Asn Glu Arg Arg Val Ile Val Pro
115 120 125

Ala Asp Pro Thr Leu Trp Ser Thr Asp His Val Arg Gln Trp Leu Glu
130 135 140

Trp Ala Val Lys Glu Tyr Gly Leu Pro Asp Val Asp Ile Leu Leu Phe
145 150 155 160

Gln Asn Ile Asp Gly Lys Glu Leu Cys Lys Met Thr Lys Asp Asp Phe
165 170 175

Gln Arg Leu Thr Pro Ser Tyr Asn Ala Asp Ile Leu Leu Ser His Leu
180 185 190

His Tyr Leu Arg Glu Arg Gly Ala Thr Phe Ile Phe Pro Asn Thr Ser
195 200 205

Val Tyr Pro Glu Ala Thr Gln Arg Ile Thr Thr Arg Pro Asp Leu Pro
210 215 220

Tyr Glu Gln Ala Arg Arg Ser Ala Trp Thr Ser His Ser His Pro Thr
 225 230 235 240
 Gln Ser Lys Ala Thr Gln Pro Ser Ser Ser Thr Val Pro Lys Thr Glu
 245 250 255
 Asp Gln Arg Pro Gln Leu Asp Pro Tyr Gln Ile Leu Gly Pro Thr Ser
 260 265 270
 Ser Arg Leu Ala Asn Pro Gly Ser Gly Gln Ile Gln Leu Trp Gln Phe
 275 280 285
 Leu Leu Glu Leu Leu Ser Asp Ser Ser Asn Ser Asn Cys Ile Thr Trp
 290 295 300
 Glu Gly Thr Asn Gly Glu Phe Lys Met Thr Asp Pro Asp Glu Val Ala
 305 310 315 320
 Arg Arg Trp Gly Glu Arg Lys Ser Lys Pro Asn Met Asn Tyr Asp Lys
 325 330 335
 Leu Ser Arg Ala Leu Arg Tyr Tyr Tyr Asp Lys Asn Ile Met Thr Lys
 340 345 350
 Val His Gly Lys Arg Tyr Ala Tyr Lys Phe Asp Phe His Gly Ile Ala
 355 360 365
 Gln Ala Leu Gln Pro His Pro Pro Glu Ser Ser Met Tyr Lys Tyr Pro
 370 375 380
 Ser Asp Leu Pro Tyr Met Ser Ser Tyr His Ala His Pro Gln Lys Met
 385 390 395 400
 Asn Phe Val Ala Pro His Pro Pro Ala Leu Pro Val Thr Ser Ser Ser
 405 410 415
 Phe Phe Ala Ala Pro Asn Pro Tyr Trp Asn Ser Pro Thr Gly Gly Ile
 420 425 430
 Tyr Pro Asn Thr Arg Leu Pro Ala Ala His Met Pro Ser His Leu Gly
 435 440 445
 Thr Tyr Tyr
 450

<210> 3
 <211> 1528

<212> DNA

<213> c-erg gene, chicken DNA

<400> 3

```
gaattccgcg aacgaataat tattattagc aattattagc gatcaataat cttgatcaca 60
ttatggcaag cactattaag gaagcattat cagtggtagg tgaagaccag tccttggttg 120
agtgtgccta cggatcgccc caccttgcaa agacagaaat gacagcctcc tcttcacagt 180
aatatgggca aacatcaaag atgagcccgc gcgttcccca gcaggactgg ttatcacagc 240
ccccggccag agttaccatt aagatggagt gtaacccaaa ccagggttaat gggtaagga 300
attcacctga tgaactgcagc gtggcaaaaag gagggaaaat ggtagcagt tcagacaatg 360
ttgggatgaa ctatggaagc tacatggaag agaagcatat tccgcctcca aatatgacaa 420
ccaatgaacg aagagttatt gtgccagcag atcctacgtt atggagcaca gaccatgtac 480
ggcagtggtt ggagtgggca gtgaaggagt atgggtcttc agacgtggac atcttggtgt 540
tccagaacat tgatgggaaa gagttgtgta aaatgaccaa agatgacttc cagagactca 600
cgccgagcta taacgcagat atcctcctgt cacacctaca ctacctcaga gagactcctc 660
ttccacattt gacttcagat gatgttgata aggccttaca aaactctcca cggttaatgc 720
atgctagaaa cacaggagga gccactttta tttttccaaa tacatcagtt taccagaag 780
caacgcaaag aataacaaca aggccagatt taccttatga gcaagcgagg agatcagcgt 840
ggacgagtca cagccatccc actcagtcac aagctaccca accatcatct tcaacagtcg 900
ccaaaacaga agaccagcgt cctcagttag atccttatca gattcttggg ccgaccagca 960
gccgtcttgc aaatccaggg agtgggcaga tacagctatg gcagttccta ctggagcttc 1020
tgtcggacag ctccaactcc aactgcatca cctgggaggg cacaatggg gagttcaaga 1080
tgacagaccc tgatgaagtg gctcggcgtt ggggagagag gaaaagcaaa cctaactga 1140
actatgacaa actcagcgtt gcaactcgtt actactatga caaaaatatt atgactaaag 1200
ttcatggtaa acgctatgcc taaaaatttg atttccacgg aatcgctcag gccctccagc 1260
ctcaccctcc agaatcatcc atgtacaaat acccatcaga cctcccctac atgagttcct 1320
accatgcaca cccccagaag atgaactttg tagctcccca tccccctgct ttgccgtaa 1380
cctcatccag cttttttgct gccctaatc catactggaa ttcaccaact ggaggcatct 1440
acccaatac caggctgccg gctgctcata tgccttccca tcttggcacc tactactaag 1500
tggggaaaaga aagaaagcgc caagaaaa 1528
```

<210> 4

<211> 478

<212> PRT

<213> protein sequence from c-erg gene

<400> 4

```
Met Ala Ser Thr Ile Lys Glu Ala Leu Ser Val Val Ser Glu Asp Gln
  1             5             10             15
```

```
Ser Leu Phe Glu Cys Ala Tyr Gly Ser Pro His Leu Ala Lys Thr Glu
      20             25             30
```

```
Met Thr Ala Ser Ser Ser Ser Glu Tyr Gly Gln Thr Ser Lys Met Ser
      35             40             45
```

```
Pro Arg Val Pro Gln Gln Asp Trp Leu Ser Gln Pro Pro Ala Arg Val
      50             55             60
```

Thr	Ile	Lys	Met	Glu	Cys	Asn	Pro	Asn	Gln	Val	Asn	Gly	Ser	Arg	Asn	
65						70					75				80	
Ser	Pro	Asp	Asp	Cys	Ser	Val	Ala	Lys	Gly	Gly	Lys	Met	Val	Ser	Ser	
				85					90					95		
Ser	Asp	Asn	Val	Gly	Met	Asn	Tyr	Gly	Ser	Tyr	Met	Glu	Glu	Lys	His	
			100					105					110			
Ile	Pro	Pro	Pro	Asn	Met	Thr	Thr	Asn	Glu	Arg	Arg	Val	Ile	Val	Pro	
			115					120					125			
Ala	Asp	Pro	Thr	Leu	Trp	Ser	Thr	Asp	His	Val	Arg	Gln	Trp	Leu	Glu	
			130				135					140				
Trp	Ala	Val	Lys	Glu	Tyr	Gly	Leu	Pro	Asp	Val	Asp	Ile	Leu	Leu	Phe	
145					150					155					160	
Gln	Asn	Ile	Asp	Gly	Lys	Glu	Leu	Cys	Lys	Met	Thr	Lys	Asp	Asp	Phe	
				165					170					175		
Gln	Arg	Leu	Thr	Pro	Ser	Tyr	Asn	Ala	Asp	Ile	Leu	Leu	Ser	His	Leu	
			180					185						190		
His	Tyr	Leu	Arg	Glu	Thr	Pro	Leu	Pro	His	Leu	Thr	Ser	Asp	Asp	Val	
		195					200						205			
Asp	Lys	Ala	Leu	Gln	Asn	Ser	Pro	Arg	Leu	Met	His	Ala	Arg	Asn	Thr	
		210					215				220					
Gly	Gly	Ala	Thr	Phe	Ile	Phe	Pro	Asn	Thr	Ser	Val	Tyr	Pro	Glu	Ala	
225						230					235				240	
Thr	Gln	Arg	Ile	Thr	Thr	Arg	Pro	Asp	Leu	Pro	Tyr	Glu	Gln	Ala	Arg	
				245					250					255		
Arg	Ser	Ala	Trp	Thr	Ser	His	Ser	His	Pro	Thr	Gln	Ser	Lys	Ala	Thr	
			260					265					270			
Gln	Pro	Ser	Ser	Ser	Thr	Val	Pro	Lys	Thr	Glu	Asp	Gln	Arg	Pro	Gln	
			275					280				285				
Leu	Asp	Pro	Tyr	Gln	Ile	Leu	Gly	Pro	Thr	Ser	Ser	Arg	Leu	Ala	Asn	
			290				295					300				
Pro	Gly	Ser	Gly	Gln	Ile	Gln	Leu	Trp	Gln	Phe	Leu	Leu	Glu	Leu	Leu	
305					310					315					320	

Ser Asp Ser Ser Asn Ser Asn Cys Ile Thr Trp Glu Gly Thr Asn Gly
 325 330 335

Glu Phe Lys Met Thr Asp Pro Asp Glu Val Ala Arg Arg Trp Gly Glu
 340 345 350

Arg Lys Ser Lys Pro Asn Met Asn Tyr Asp Lys Leu Ser Arg Ala Leu
 355 360 365

Arg Tyr Tyr Tyr Asp Lys Asn Ile Met Thr Lys Val His Pro Pro Glu
 370 375 380

Ser Ser Met Tyr Lys Tyr Pro Ser Asp Leu Pro Tyr Met Ser Ser Tyr
 385 390 395 400

His Gly Lys Arg Tyr Ala Tyr Lys Phe Asp Phe His Gly Ile Ala Gln
 405 410 415

Ala Leu Gln Pro His Ala His Pro Gln Lys Met Asn Phe Val Ala Pro
 420 425 430

His Pro Pro Ala Leu Pro Val Thr Ser Ser Ser Phe Phe Ala Ala Pro
 435 440 445

Asn Pro Tyr Trp Asn Ser Pro Thr Gly Gly Ile Tyr Pro Asn Thr Arg
 450 455 460

Leu Pro Ala Ala His Met Pro Ser His Leu Gly Thr Tyr Tyr
 465 470 475

<210> 5

<211> 23

<212> DNA

<213> primer for isolation of C-11 and c-erg genes

<400> 5

atcttgatca cattatggca agc

23

<210> 6

<211> 25

<212> DNA

<213> primer for isolation of C-11 and c-erg genes

<400> 6

cacattatgg caagcactat taagg

25

<210> 7
<211> 25
<212> DNA
<213> primer for isolation of C-11 and c-erg genes

<400> 7
cacttagtag taggtgcaa gatgg

25